

Model: HV-A25033mm AHD high-definition rotating camera



33mm AHD high-definition rotating camera
8-inch high-definition display, 1280X720 resolution
Camera size: Φ33mm x 72mm / HD rotating camera can pan 360°, tilt
180°, adjustable focal length / 2 million pixels / Sapphire lens, tainless steel housing / IP68Waterproof / 120°Camera wide angle range
6 high-brightness LEDs, adjustable lighting
Built-in 512 transmission signal, can be used with a receiver to receive signals

| Specification | Details | | | |
|--------------------|---|--|--|--|
| Model Name | HV-A250 | | | |
| Camera Diameter | Standard Φ33mm, Pan-Tilt Camera | | | |
| Camera Sensor | 1/3 inch CMOS, 2MP | | | |
| Cable Material | Ф7mm Fiber Glass Cable | | | |
| Cable Length | Standard 30m, Customizable from 20m to over 50m | | | |
| Length Measurement | Built-in Meter Counter, Less than 1% Error Rate | | | |
| Monitor | Premium 8-inch LCD Monitor | | | |
| Camera Resolution | 1920 × 1080 FHD | | | |
| Viewing Angle | 120° Wide Angle | | | |
| Photo & Video | Photo Storage Available, Video Recording at 720p | | | |
| Battery | 6800mA Lithium-ion Battery, Operates Over 6 Hours | | | |
| Power Supply | AC 110~240V, 1.5A | | | |
| Location Tracking | Built-in 512Hz Sonde | | | |