



Ningbo Honyu

Model : HV-P350 50mm P&T Rotation Camera



HV-P350 is a complete inspection system for pipe inspection, industry sewer inspection.

360° totation AHD Camera Head ,Pan 360° Tilt 180°/ 1/3 CMOS,1.3MP pixel HD camera head, waterproof up to 10 bars / 13 inch IPS icd screen,1280*720 resolution / DVR control box with audio,video recording

and photography function /. USB buletooth keyboard real timetypewriting
/ Built in 8800mA li-ion battery inside ,support uint working more than 6
hours / Digital meter counter function, error is less than 1%

Specification	Details
Model Name	HV-P350
Camera Diameter	Standard Φ50mm Pan-Tilt Camera
Camera Sensor	1/3 inch CMOS, 1.3MP
Cable Material	Φ9mm Fiber Glass Cable
Cable Length	Standard 60m, Customizable from 60m to over 120m
Length Measurement	Built-in Meter Counter, Accuracy Error Less Than 1%
Monitor	Premium 13-inch HD IPS LCD Monitor
Camera Resolution	1280 × 720 HD
Viewing Angle	120° Wide Angle
Photo & Video	Photo Storage Available, 720p Video Recording Supported
Keyboard Input	Text Input on Photos, Saveable
Battery	8800mA Lithium-Ion Battery, Operates Over 5 Hours
Power Supply	AC 110–240V, 1.5A
Location Tracking	Optional Installation Available

Ningbo Honyu